INDEX MAPS.

D

T.6 N R.5 W 2nd Mer.



T. 7 N R. 5 W 2nd Mer.



☞ The figures on the lines refer to the page.

Township No. 7. North of Range No. 5 West 2nd. Mer. Indiana

Chs. Lks.	South Boundary.
West	On a Random line On the South Boundy of Sec. 36.
	T. No. 7. N R. No. 5 W.
20.00	To a Creek 75 links wide, Course S.
25.00	" " Do. " " " " N.
35.00	" " Do. " " " " S.W.
40.00	Set a tempy ¼ Sec post
80.00	Set a tempy post for the cor. of Secs. 35 & 36
	Bottom land; Timber Beech, Sugar, & Elm.
West	On a Random line On the South Boundy of Sec. 35. T7 R5
15.00	To a Creek course N.W.
24.00	" " Do " S.W.
27.00	To a Pond 8 chs. wide, Circular
33.00	To a Brook. 150 links wide, Course S.W
40.00	Set a tempy ¼ Sec post
65.00	To a Creek 200 links wide, Course North.
80.00	Set a post (tempy) for the cor. cor of Secs. 34 & 35.
	Land rich bottom on the 1st ½ mile; Timber Elm,
	Maple & Beech. : 2d ½ overflowed bottom.
West	On a Random line on the South Boundy of Sec. 34
	T. 7 N R. 5 W Apl. 19. 1811.
11.50	To a Creek 200 links wide, Course S.
15.35	To the Left Bank of White River 650 links wide, C. S.
40.00	Set a tempy ¼ Sec post
60.00	River close on to the left
80.00	Set a tempy post for the cor. of Secs. 33 & 34
	Land rich bottom; Timber Elm, Walnut & Buckeye
West	On the South Boundy of Sec. 33. on Random line T. 7 N R 5 W
40.00	Set a tempy ¼ Sec post
80.00	Set a tempy post for the cor. of Secs. 32 & 33. in the East

side of a Prairie pretty large and principally on the South. Good bottom land Timber, Sugar, Elm, Walnut.

West On a Random line On the South Bound.y of Sec. 32. T.7. N.R. 5 W

25.00 Quit prairie

40.00 Set a tempy ¼ sec post

60.00 To the East side of a large prairie crossing N.W & S.E. at least four miles.

80.00 Set a tempy post for the cor. of Sec. 31 & 32

Generally good land; part prairie & part Oak Land

West On the South Bound.y of Sec. 31. T.7. N.R.5 W On a Random

30.00 Quit prairie

40.00 Set a tempy ¼ sec post

80.00 Set a tempy post for the cor. of Towns. 6 & 7 N.R. 5 & 6 W

Good Land part prairie & part Oak Land.

East On the true line On the South Bound.y of Sec. 31. T.7 N R.5 W

40.00 Set the tempy ¼ sec post on the true line from which a

W. Oak 24 in. dia: bears S36 E. 13 links dist; & a

Do. 24 " " " N66 W. 38 " "

80.00 Set the tempy post on the true line for the cor. of Sec. 31 & 32

~~from which~~ in a prairie

East On the true line On the South Bound.y of Sec. 32. T.7. N.R.5 W

40.00 Set a ¼ sec post on the true line from which a

B. Oak. 24 in. dia: bears S4 W. 12 links dist; & a

W. Oak. 15 " " " N68 E. 53 " "

80.00 Set a post (tempy) on the true line for the cor. of Sec. 32 & 33

from which a R. Oak. 24 in. dia: bears N72 W. 33 lks dist and an Elm. 15 " " " S3 E. 58; "

T. No. 7. N. R. No. 5 W. 2nd Mer. Ind.

East On the true line On the South Boundary of sec. 33. T. 7 N R 5 W
40.00 Set the temp.y ¼ sec post on the true line from which a
Hackberry 18 in dia. bears S 75 E 5 links dist; & a
Honey Locust 16 " " " S 65 W 19 " "
80.00 Set the temp.y post at the true line for the cor. of sec. 33 & 34
from which a Hackberry 30 in. dia. bears N 74 E. 20 lks dist
and a Buckeye 10 " " " N 52 W. 16 " "

East On the true line On the South Bound.y of sec. 34. T. 7. N R 5 W
40.00 Set the temp.y ¼ sec post at the true line from which a
Honey Locust 18 in dia. bears S 10 E 61 lks dist & a
Buckeye 14 " " " N 3 W 24 " "
80.00 Set the temp.y post at the cor. dist on the true line cor. of sec. 34 & 35
Walnut – in dia. bears S 79 E. 8 lks dist; & a
Ash 8 " " " N 30 W. 15 " "

East On the true line On the South Bound.y of sec. 35. T. 7. N R. 5 W
40.00 Set the temp.y ¼ sec post on the true line from which a
Hackberry 12 in dia. bears S 67 E. 18 links dist; & a
Ash. 16 " " " S 20 W. 22 "
80.00 Set the temp.y post on the true line for the cor. of sec. 35 & 36
from which a B. Oak 36 in dia. bears N 85 E. 26 lks dist
and a W. Oak 30 " " " N 79 W. 22 " "

East On the true line On the South Bound.y of sec. 36. T. 7. N R 5 W
40.00 Set the temp.y ¼ sec post on the true line from which a
Beech. 30 in. dia. bears S 70 E. 36 links dist; & a
Sugar 16 " " " S 82 W. 14 " "
80.00 To the post corner of T.s No. 6 & 7. N R.s 5 & 6 W.
April 22d 1811.

East Boundary

North On the East Bound.y of sec. 36. T. 7 N R. 5 W

T. No 7. N.R. No 5 W. 2nd Mer. Ind.

25.00	To a Brook, 75 links wide, Course SW.
4000	To a W. Oak. 36 in. dia. Stands as for the cor. of ¼ sec.
80.00	Set a post for the cor. of secs 25 & 36. T. 7. N.R. 5 W. –
	from which a Hickory 12 in. dia. bears S68E. 5 lks dist.
	and a W. Oak. 17 " " " N20E. 33 " "
	Sand level bottom.

North	On the East Boundary of sec. 25. T. 7. N.R. 5 W.
19.00	To a Brook. 3 links wide, Course W.
34.00	" " Do. 3 " " " "
40.00	Set a ¼ sec post from which a
'	Beech. 16 in. dia. bears S63W. 14 links dist; & a
	Dogwood 6 " " " N10E 37 " "
46.00	To a Brook 5 links wide, Course W.
66.00	" " Do. 15 " " " W.
80.00	Set a post for the cor. of secs. 24 & 25 from which an
	Elm. 10 in. dia. bears N21E. 12 links dist; & a
	Maple. 6 " " " S5E. 14 " "
	Land level; Timber Sugar, Poplar, &c.

North	On the East Boundary of sec. 24. T. 7. N.R. 5 W.
4000	Set a ¼ sec post from which a
	Sugar. 10 in. dia. bears S43E. 14 links dist; & a
	Beech. 30 " " " N19W. 22 " "
47.00	To a Brook 100 links wide, Course SW.
80.00	Set a post for the cor. of secs. 13 & 24 from which a
	Sugar. 8 in. dia. bears S46W. 8 links dist; & a
	Do. 16 " " " N21E. 28 " "
	Land level and rich; Timber Beech, Sugar, Poplar,

North	On the East Boundary of sec. 13. T. 7. N.R. 5 W
5.00	To a Brook 3 links wide, Course E.
12.00	" " Do. 3 " " " E.

T. No 7. N.R. No 5 W. 2nd Mer. Ind.

35.00	To a Brook. 3 links wide, Course E.
40.00	Set a ¼ Sec. post from which a
	Maple 9 in. diar. bears West 3 links dist; & a
	W. Oak. 16 " " " N 24 E. 24 " "
80.00	Set a Post for the cor. of Sec. 12 & 13 from which a
	Hickory 10 in. diar. bears N 54 W. 14 links dist; & a
	Beech. 16 " " " S 50 E. 49 " "
North	On the East Bound'y of Sec. 12. T. 7. N.R. 5 W.
20.00	To a Brook 3 links wide, Course E.
40.00	Set a ¼ Sec. post from which a
	Hickory 16 in. diar. bears S 75 E. 24 links dist; & a
	Gum. 16 " " bears N 63 W. 18 " "
80.00	Set a Post for the cor. of Sec. 1 & 12 from which a
	Hickory 18 in. diar. bears S 10 W. 16 links dist; & a
	Gum. 24 " " " N 66 E. 25 " "
	Good Oak Land.
North	On the East Bound'y of Sec. 1. T. 7. N.R. 5 W.
12.50	To a B. Oak 30 in diar. on the line.
39.50	To a Brook 5 links wide, Course W.
40.00	Set a ¼ Sec. Post from which a
	Dogwood 5 in diar. bears S 60 W. 18 links dist; & a
	Beech. 16 " " " N 24 E. 8 " "
50.00	Crossed a fresh blazing running about S 65 W.
80.00	Set a temp'y post for the cor. of Ts. 7 & 8 N.Rs. 4 & 5 W.
	Level rich Oak Land.

North Bound'y

West	On the South Bound'y of Sec. 36. T. 8. N.R. 5 W.
27.50	To a Brook. 5 links wide, Course N.
40.00	Set a ¼ Sec. Post from which an
	Ash. 24 in. diar. bears S 76 E. 24 links dist; & a

T. N.º 7. N.R. N.º 5 W. 2nd Mer. Ind.a

Beech. 24 in. diam. bears N24W. 15 links dist;
71.00 To a Brook 5 links wide, Course N.
80.00 Set a post for the cor. of Sec. 35 & 36. from which a
Beech. 18 in. diam. bears S72E. 38 links dist; & a
Do. 15 " " " N82W. 41 " "
Good Oak Land;

West On the South Boundy of Sec. 35. T. 8. N R. 5 W.
40.00 Set a ¼ Sec post from which a
Beech. 24 in. diam. bears N30 E. 31 links dist; & a
Do. 24 " " " S48W. 35 " "
62.50 To a Brook 8 links wide, Course N.W.
80.00 Set a post for the cor. of Sec. 34 & 35 from which a
Sugar. 18 in. diam. bears S42E. 8 links dist; & a
Do. 16 " " " N62W. 50 " "
First rate Sugar tree land

West On the South Boundy of Sec. 34. T. 8. N R. 5 W
10.00 To a Brook 8 links wide, Course N.
40.00 Set a ¼ Sec post from which a
Hickory 16 in. diam. bears North 2 links dist; & a
Do. 10 " " " S64E. 15 " "
43.50 To a Brook. 10 links wide, Course S.W.
51.50 To the East or Left Bank of W. River . Var. 6.45
April. 18. 1811.

Surveyed by
Alexander Holmes. D.S.

West From a Small Stake set by A. Holmes on the East Bank of W. River. cor of Frac. Sec. 34. T 8 N R. 5 W
80.00 Set a post for the cor. of Sec 33 & 34 from which a
Honey Locust 20 in. diam. bears N42E. 50 links dist;
Hackberry 12 " " " S51W. 45 " "
Land river bottom.

West On the South Boundry of sec. 33. T. 8 N.R. 5 W.
40.00 Set a ¼ sec post from which a
Dogwood 5 in. diar. bears S63E. 8 links dist; & a
Hickry 8 " " " N36W. 28 " "
72.00 Toad Brook 8 links wide, Course N.W.
80.00 Set a post for the cor. of secs 32 & 33 from which a
Gum 12 in. diar. bears S79W. 3 links dist; & a
Hickry 75 " " " N72E. 41 " "
Good Oak Lands.

West On the South Boundry of sec. 32. T. 8 N.R. 5 W
40.00 Set a ¼ sec post from which a
B Jack 5 in. diar. bears N57E 22 links dist; & a
Hickry 20 " " " S14W. 14 " "
80.00 Set a post for the cor. of secs 31 & 32 No timber
Good Oak land

West On the South Boundry of sec. 31. T. 8 N.R. 5 W.
40.00 Set a ¼ sec post no timber in prairie
80.00 Set a tempy post for the cor. Ts. 7 & 8 N.R. 5 & 6 W

Surveyed by
James Holmes D.S.

West Boundary

North On the East Boundry of sec. 36. T. 7. N.R. 6 W.
40.00 Set a ¼ sec post in the South side of a prairie from which
a Hickry 12 in. diar. bears N36. E. 32 links dist; & a
Do. 12 " " " N64W. 33 " "
80.00 Set a post for the cor. of secs 25 & 36. in a prairie 5.31
lks South of a W Oak 24 in diar. blazed & notched

North On the East Boundary of sec. 25. T. 7 N.R. 6 W
40.00 Set a ¼ sec post from which a

T. No. 7. N. R. No. 5 W. 2nd Mer. Ind.

W Oak. 36 in. diar. bears S 37 W. 49 links dist; & a
Do. 10 " " " N 37 E 56 " "
80.00 Set a post for the cor. of secs. 24 & 25 from which a
Hick'y 16 in. diar. bears S 11 E. 23 links dist; & a
Do. 12 " " " N 48 E 22 " "
Land level Timber Oak,

North On the East Bound'y of sec. 24. T. 7. N R. 6 W.
38.00 To an Indian path.
40.00 Set a ¼ sec post from which a
Hick'y 18 in. diar. bears S 4 W. 12.0 links dist;
No other tree near
80.00 Set a post for the cor. of secs. 13 & 24 from which a
Walnut. 12 in. diar. bears S 60 W. 2 links dist; & a
Elm. 30 " " " N 17 E 21 " "
Land barrens.

North On the East Bound'y of sec. 13. T. 7. N R. 6 W.
13.50 To a Brook 50 links wide, Course S E.
30.00 To a R. Oak 36 in. diar: stands on the line.
40.00 Set a ¼ sec post from which a
Hick'y 10 in. diar. bears S 39 W. 7 links dist; & a
Do. 16 " " " N 38 E 27 " "
80.00 Set a post for the cor. of secs. 12 & 13. T. 7. N R. 6 W from which
a B Oak. 30 in. diar. bears S 54 E 63 links dist; & a
W Oak. 30 " " " North 76 " "
Land rich and level; Timber Oak Walnut & Elm.

North On the East Bound'y of sec. 12. T. 7. N R. 6 W
40.00 Set a ¼ sec post from which a
Hick'y 16 in. diar. bears S 1 W. 48 links dist; ~~& a~~
No other timber near.
80.00 Set a post for the cor. of secs. 1 & 12 from which a

T. No 7. N.R. No 5 W. 2nd Mer. Ind.a

Hick.y 16 in. dia. bears N 1 W. 38 links dist; & a
Do. 18 " " " S 70 W. 40 " "
Prairie Land.

North On the East Bound.y of Sec. 1. T. 7 N.R. 6 W.
40.00 Set a 1/4 sec post from which a
Hick.y 16 in. dia. bears S 23 W. 35 lks dist; & a
W. Oak. 16 " " " S 72 E. 35 " "
81.00 Fell 100 links West of the temp.y post cor of T.s 7 & 8 N.R.s 5 & 6 W and set a post from which a Hick.y 24 in. dia. bears S 64 W. 204 links dist; & no other timber near.

Surveyed by
Alexander Holmes D.S.

Subdivisions.

North Between Sec. 35 & 36 T. 7 N.R. 5 W.
25.00 To a Beech 12 in dia. in the line.
40.00 Set a 1/4 sec post from which a
Beech 12 in dia. bears S 43 E. 18 links dist; & a
Sugar 14 " " " N 78 W. 10 " "
80.00 Set a post for the cor. of Sec. 25, 26. 35 & 36 from which a
Beech 10 in. dia. bears S 89 E. 15 links dist; & a
Do. 6 " " " S 89 W. 15 " "
Land broken; Timber Beech, Sugar, Walnut & Poplar, & c. undergth. Spice.

East On a Random line between Sec. 25 & 36. T. 7 N.R. 5 W.
40.00 Set a temp.y 1/4 sec post
73.00 To a Creek 10 links wide, Course S.W.
79.86 Intersect the East Bound.y at the post cor. of Sec. 25 & 36. T. 7 N.R. 5 W.

T. No 7. N R. No 5 W. 2nd Mer. Ind.

West On the true line between Sec. 25 & 36 T. 7. N R. 5 W.
39.86. Set the temp.y ¼ Sec. post at the aver. dist. on the true line from
which a W. Oak. 18 in. diam. bears N 75 E. 20 links dist.
and a Dogwood 8 " " " N 75 W. 27 " "
79.86 To the post cor. of Sec. 25. 26. 35 & 36.
Land broken; Timber Beech, Oak, & Hick.y; U.g.th Spice & Briar

North Between Sec. 25 & 26. T. 7. N R. 5 W.
37.00 To a Beech. 12 in. diam. in the line.
34.26. To a Creek. 115 links wide, Course S.W.
40.00 Set a ¼ Sec post from which a
Beech. 18 in. diam. bears S 66 E. 17 links dist. & a
Do. 12 " " " N 10 E. 17 " "
80.00 Set a post for the cor. of Sec. 23. 24. 25 & 26 from which a
Hick.y 12 in. diam. bears S 41 E. 7 links dist.; & a
Dogwood 4 " " " N 1 E. 17 " "
Land broken; Timber Oak. & Hick.y Underg.th Spice &c.

East On a Random line between Sec. 24 & 25. T. 7. N R. 5 W.
23.00 To a Creek 10. links. wide. Course, S.
30.00 " " " 1,20 " " " S.E.
40.00 Set the Temp.y ¼ Sec. post.
79.80 Intersect the East Bound.y 30. links. South of the post
Cor. of Sec. 24. & 25.

West On the true line between Sec. 24 & 25. T. 7. N. R. 5. W.
39.90 Set the temp.y ¼ Sec. post at the aver. dist. on the true
line from which a
Beech 10. in. diam. bears S. 76. E. 12. links. dist. & a
Do 6. " " " N. 12. W. 15. " "
Land good. Timber. Beech. Oak &c. U.g. Spice. &c.
79.80 To the post Cor. of Sec. 23. 24. 25 & 26.

T. No. 7. N.R. No. 5 W. 2nd Mer. Indª

~~West~~	~~Between Sec. 27 & 34. T. 7. N. R. No 5 W.~~
~~40.00~~	~~Set the post for the cor. of ¼ sec. from which a~~
	~~Beech 15. in. diam. bears N. 50. E. 24. links dist. & a~~
	~~Do. 8. " " " N. 46.~~
North	Between Sec. 23 & 24. T. 7. N R. 5 W.
37.15	To a Creek 10 links wide, Course East
40.00	Set a ¼ sec. post from which a
	Beech. 18 in. diam. bears N 84 W. 50 links dist. & a
	Locust. 10 " " " N 16 E 15 " "
42.50	To a W. Oak. 15 in. diam. stands in the line.
80.00	Set a post for the cor. of sec. 13. 14. 23 & 24 from which a
	Beech. 20 in. diam. bears S 45 W. 11 links dist. & a
	Do. 18 " " " N 28 W. 45 " "
	Over broken Land, Timber Oak, Beech, &c. Undt. Spice.
East	On a Random line Between Sec. 13. & 24. T. 7. N R. 5 W.
40.00	Set a temp. ¼ sec. post
41.00	To a Brook 14 links wide, Course S. 6.
79.95	Intersect the East Bound. 40 links South of the post cor. of sec. 13 & 24.
West	On the true line Between Sec. 13 & 24. T. 7. N R. 5 W.
39.97	Set the temp. ¼ sec. post at the aver. dist. on the true line from which a Sugar. 30 in. diam. bears S 61 W. 10 lks dist.
	and a Hick.y 10 " " " S 64 E. 25 " "
79.95	To the post cor. of sec. 13. 14. 23 & 24
	Land broken; Timber Oak, Hick.y &c. Undt. Sassafras.
North	Between Sec. 13 & 14 T. 7. N R. 5 W
1.00	To a Poplar 24 in. diam. stands in the line.
40.00	Set a ¼ sec. post from which a
	Gum. 12 in. diam. bears North 53 links dist. & a

T. No. 7. N.R. No. 5 W. 2nd Mer. Ind.

Gum. 8 in. diar. bears N74W. 9 links dist;
71.00 To a Hick'y 20 in. diar. in the line.
80.00 Set a post for the cor. of sec. 11.12.13 & 14 from which a
Hick'y 20 in. diar. bears S15W. 20 links dist; & a
Ash. 6 " " " N25E. 4 " "
Land level; Timber Hick'y, Oak, &c. Und. Sassafras &c

East On a Random line between Sec. 12 & 13. T. 7. N.R. 5 W.
23.68 To a Brook 10 links wide, Course N.W.
40.00 Set a temp'y ¼ sec post
79.80 Intersect the East Boundary 94 links South of the
post cor. of sec. 12 & 13.

West On the true line between Sec. 12 & 13. T. 7. N.R. 5 W.
39.90 Set the temp'y ¼ sec post at the aver. dist. on the true line
from which a Poplar. 18 in diar. bears N58E. 11 lks dist
& a Dogwood 8 " " " S35W. 8 " "
79.80 To the post cor. of secs. 11.12.13 & 14
Land broken; Timber Oak, Hick'y &c Und. Sassafras

North Between Sec. 11 & 12 T. 7 N.R. 5 W.
29.50 To a Hick'y 12 in. diar. in the line.
40.00 Set a ¼ sec post from which a
Gum, 10 in. diar. bears S51W. 18 links dist; & a
Oak. 24 " " " N40E. 8 " "
61.00 To a B. Oak. 24 in diar. in the line.
80.00 Set a post for the cor. of secs. 1.2.11 & 12 from which a
Dogwood 6 in diar. bears S10W. 22 links dist & a
Hick'y 10 " " " N50W. 50 " "
Land broken; Timber Oak, Hick'y &c. Und. Sassafras & Briers

East On a Random line between Sec. 1 & 12. T. 7 N.R. 5 W.

T. Nº 7. N R. 5 W. 2nd Mer. Indª

(40.00 Set a temp. 1/4 sec. post
79.86 Intersect the East Boundy 12 links North of the post
cor. of sec. 1 & 12.

West On the true line between Sec. 1 & 12 T. 7 N R. 5 W.
39.90 Set the temp. 1/4 sec. at the aver. dist. on the true line from
which an Oak 24 in. diam. bears S 55 W. 38 lks dist
and a Gum 8 " " " N 30 W. 21 " "
79.86 To the post cor. of sec. 1. 2. 11. & 12
Land level; Timber Oak, Hicky &c. Undth Sassafras &
Briers &c.

North Between Secs 1 & 2 T. 7 N R. 5 W.
30.50 To a Beech. 10 in. diam. in the line.
40.00 Set a 1/4 sec post from which a
Oak. 24 in. diam. bears S 16 E. 14 links dist; & a
Beech. 10 " " " N 60 E. 14 " "
60.00 To a Beech. 10 in. diam. stands in the line.
80.00 Intersect the N Boundy and set a post from which a
W Oak. 24 in. diam. bears S 50. W. 7 links dist; & a
Beech. 8 " " " -50 E 14 " "
Land level; Timber Beech, Walnut, Sugar, &c.
Undergth Spice. Nov. 18th 1814.

North Between Secs 34 & 35. T. 7 N R. 5 W.
21.00 To a Creek. 150 links wide, Course N E.
35.50 " " Sycamore. 48 in diam. in the line.
40.00 Set a 1/4 sec post from which a
Beech. 14 in. diam. bears S 70 E. 22 links dist; & a
Mulberry 10 " " " N 62 W. 25 " "
49.50 To a Pond or Bayou. 3 chs. wide, Course S W. & S E.
80.00 Set a post for the cor. of secs. 26, 27, 34 & 35. from which a
Walnut 36 in diam. bears N 66 W 25 links dist; & a

20

T. No. 7. N.R. No. 5 W. 2nd Mer. Ind.

Sugar. 12 in. dia. bears S 59 E 18 links dist;
Land 1st 11 chs. low ground & subject to overflow. Land broken & rich good for farming

---

East On a Random line between Sec. 26 & 35. T. 7. N.R. 5 W.
22.00 To a Creek. 64 links wide, Course N.E.
40.00 Set a temp. 1/4 Sec post
80.00 Intersect the N&S line. 25. links North of the post cor. of Sec. 25, 26, 35 & 36.
Land 1st 1/2 mile level; Timber Beech, Ash, Gum & Poplar. 2nd 1/2 " Broken " Beech, Sugar, &c Undergth Spice.

West On the true line between Sec. 26 & 35. T. 7. N.R. 5 W.
40.00 Set the temp. 1/4 Sec post at corr. dist. on the true line from which a Maple. 18 in. dia. bears N 47 E 12 lks dist
& a Gum. 10 " " " S 81 W 40 " "
53.40 To a Sycamore 48 in dia. in the line.
80.00 To the post cor. of Sec. 26, 27. 34 & 35.

North Between Sec. 26 & 27 T. 7. N.R. 5 W.
18.50 To a Beech 15 in dia. in the line
30.00 To a Brook 6 links wide, Course E.
40.00 Set a 1/4 Sec post from which a
Beech. 18 in. dia. bears S 35 E 29 links dist; & a
Do. 15 " " " N 17 W 20 " "
63.00 To a Brook. 4 links wide, Course S.W.
80.00 Set a post for the cor. of Sec. 22, 23, 26 & 27 from which a
Poplar 48 in dia. bears N 50 E. 30 links dist; & a
Gum. 28 " " " N 80 W. 21 " "
This mile is over broken land but rich; Timber Sugar Walnut. Poplar, &c. Undgth Spice.

36

T. No 7. N. R. No 5 W. 2nd Mer. Inda.

East	On a Random line between Sec. 23. & 26. T. 7. N. R. 5 W.
7. 50	To a Brook 4. links. wide; Course S. W.
40. 00	Set the tempy. 1/4 Sec. post.
80. 03	Intersect the N. & S. line 40 links North of the post
	Cor. of Sec. 23. 24. 25. & 26.
	Land on the 1st 1/2 mile broken & good for farming
	Timber. Walnut Sugar. &c. 2nd 1/2 level land. Soil
	rich. Timber. Sugar. Walnut. Poplar. Ug. Spice &c.

West	On the true line between Sec. 23. & 26. T. 7. N. R. 5. W.
40. 01	Set the tempy. post for the cor. of 1/4 sec. at the aver. dist.
	on the true line from which a
	Beech 26. in. diam. bears S. 15. E. 27. links. dist. & an
	Elm 15. " " " N. 66. W. 28. " "
80. 03	To the post cor. of Sec. 22. 23. 26. & 27.

North	Between Sec. 22. & 23. T. No 7. N. R. No 5. W.
24. 20	To a Beech 18. in. diam. stands in the line.
40. 00	Set the 1/4 sec. post from which a
	Hickory 12 in. diam. bears S. 20. W. 6. links dist. & a
	Do. 24. " " " S. 70. E. 42. " "
80. 00	Set a post for the cor. of Sec. 14. 15. 22. & 23. from
	which a Sugar 10. in. diam. bears S. 57. E. 19. lks. dist.
	& a Do. 14. " " " N. 24. W. 32. " "
	This mile is broken land. Soil good for farming
	Timber. Oak. Hicky. Beech. Poplar. &c. &c.

East	On a Random line between Sec. 14. & 23. T. 7. N. R. 5. W.
40.00	Set the tempy. 1/4 Sec. post.
80. 08	Intersect the N. & S. line 40. links North of the post cor.
	of Sec. 13. 14. 23. & 24.
	This mile is over broken land. Timber Oak. Beech
	& Hickory, Ug. Spice

T. N°. 7 N. R. N°. 5 W. 2nd. Mer. Ind.

West On the true line between Sec. 14 & 23. T. 7. N. R. 5. W.
40.04 Set the 1/4 sec. post at the aver. dist. on the true line from
which a Dogwood 8. ins. diams. bears S. 78. E. 12. lks. dist.
& a Do. 6. " " " N. 65. E. 25. " "
80.08 To the Post Cor. of Sec. 14. 15. 22. & 23.

North Between Sec. 14 & 15. T. N° 7. N. R. N° 5. W.
40.00 Set the post for the cor. of 1/4 sec. from which a
W Oak. 31 in. diar. bears N 57 W. 36 links dist, & a
Hick'y 24 " " " N 77 E 7 " "
64.60 To a Beech. 14 in diar. stands in the line.
80.00 Set a post for the cor. of Sec. 10. 11. 14 & 15 from which a
Gum. 8 in. diar. bears S 50 E. 12 links dist, & a
Walnut. 14 " " " N 85 W. 29 " "
Land broken; Soil rich; Timber Beech, Oak &c.
Undergth Hick'y & Dogwood

East On a Random line Between Sec. 11 & 14 T. 7. N. R. 5 W.
40.00 Set a temp'y 1/4 sec post
80.00 Intersect the N & S line at the post cor of Sec. 11. 12. 13 & 14
This mile over broken land; good soil; Timber. Oak,
& Poplar, Undergth Sassafras

West On the true line between Sec. 11 & 14 T. 7. N. R. 5 W.
40.00 Set the temp'y 1/4 sec post at the aver. dist on the true line
from which a Dogwood 8 in. diar. bears S 29 E. 4 lks dist
and a Do. 4 " " " N 29 E 3 " "
74.25 To a Poplar. 36 in. diar. stands in the line.
80.00 To the post cor. of Sec. 10. 11. 14 & 15

North Between Sec. 10 & 11 T. 7. N. R. 5 W.
40.00 Set a 1/4 sec post from which a
Sugar. 8 in. diar bears S 70 E. 12 links dist, & a 375

T. Nº 7. N R. Nº 5 W. 2nd Mer. Ind.

Poplar 8 in diar bears East 20 links dist
80.00 Set a post for the cor of Sec. 2.3.10 & 11 from which a
Beech 24 in. diar bears S51 E. 9 links dist; & a
Sugar 12 " " West 25 " "
Land level; soil good; Timber Beech, Sugar,
Poplar, Oak &c. Undergth Spice.

East On a random line between Sec 2 & 11 T. 7. N R. 5 W
40.00 Set a tempy ¼ sec post
79.80 Intersect the N & S line 12 links North of the post cor. of
Sec 1. 2. 11 & 12
Land level Timber Oak, Poplar, Hicky &c. good soil
undgth Spice.

West On the true line between Sec. 2 & 11 T. 7. N R. 5 W
39.90 Set the tempy ¼ sec post at the aver. dist. on the true line
from which a Sugar 15 in. diar bears N10 W. 23 lks dist
and a Beech 12 " " " S45 E. 13 " "
79.80 To the post cor. of sec. 2, 3. 10 & 11

North Between Sec. 2 & 3. T. 7. N R. 5 W.
36.50 To a Poplar 48 in. diar in the line.
40.00 Set a ¼ sec post from which a
Beech 15 in diar bears N. 22 E. 6 links dist; & a
Sugar 12 " " " S34 W. 32 " "
45.00 To a Brook 8 links wide, Course N W.
80.32 Intersects the N Boundy and set a post for the
cor. of sec 2 & 3. from which an
Elm 12 in. diar bears S25 W. 19 links dist; & a
Hicky 5 " " " S35 E. 17 " "
This mile is over broken land; good soil; Timber
Sassafras &c.

T. N.o 7. N.R N.o 5 W. 2nd Mer. Ind.a

North Between Sec. 33 & 34 T. 7. N.R. 5 W
1.50 To a Walnut 36 in. dia. in the line.
33.50 " " Do. 30 " " " " "
40.00 Set a 1/4 Sec Post from which a
Walnut 15 in dia. bears S31W. 31 links dist; & a
Hackberry 18 " " " N26W. 41 " "
69.75 To a Buckeye 15 in dia. stands in the line.
80.00 Set a post for the cor. of Sec. 27. 28. 33 & 34 from which a
Hackberry 18 in dia. bears S85W. 8 links dist; & a
W. Walnut 12 " " " N53E 38 " "
This mile over low grounds; rich soil; Timber Walnut
Sugar, Hackberry &c. Undergth Spice

East Between Sec. 27 & 34 T. 7 N.R. 5 W On a Random line
15.05 Set a post on the Right bank of White River and set a
Post for the cor. of Frac. Sec. 27 & 34 from which a
Sycamore 10 in. dia. bears S70E. 3 links dist; & a
Maple 12 " " " N26W. 14 " "

West On the true line between Sec. 27 & 34. T. 7 N.R. 5 W
15.05 To the post cor. of Sec. 27. 28 - 33 & 34

West Between Sec. 27 & 34 T. 7 N.R. 5 W. E. Side of River
40.00 Set a 1/4 Sec post from which a
Beech 15 in. dia. bears N50E. 24 links dist; & a
Do. 8 " " " N46W. 22 " "
58.50 Set a post on the Left Bank of White River for the cor.
of frac. Sec. 27 & 34 from which a (River $\overset{c.\,L}{6.25}$ wide.)
Elm 8 in. dia. bears S26W. 16 links dist; & a
Do. 6 " " " N26E. 10 " "
Land rich; Timber Walnut, Beech, Poplar, Sugar
&c. Undergth Spice & Pawpaw.

T. N° 7. N R. N° 5 W. 2nd Mer. Ind.

North Between Sec. 27 & 28 T. 7. N R. 5 W
7.28 To a Walnut 24 in. diar. in the line.
23.70 Set a post on the Right Bank of White River for the
cor of Fract. Sec. 27 & 28 from which a
Sugar 12 in. diar. bears N 66 E. 15 links dist. & a
Sycamore 20 " " " S 40 W. 42 " "
Over Low ground; Timber Walnut, Hackberry
Ash & Pawpaw. U.g. Spice.

South Between Sec. 27 & 28 T. 7. N R. 5 W
40.00 Set a ¼ sec post from which a
Hackberry 14 in. diar. bears S 13 W. 35 lks dist. & an
Elm 6 " " " N 24 E. 31 " "
50.00 Set a post on the Left Bank of White River for the
cor of Fract. Sec. 27 & 28 from which a
Cottonwood 8 in diar. bears N 60 E. 49 lks dist.
& a Do. 8 " " " S 70 W. 31 " "
Over river bottom. Timber Hackberry, Walnut,
& Sycamore; U.g. Spice, &c.

West On the true line between Sec. 22. & 27. T. 7. N. R. 5. W.
25.50 To an Elm 15. in. diam. stands in the line.
40.00 Set a ¼ Sec. post from which a
Maple 6. in. diam. bears S. 12. W. 15. links dist. & an
Ash 10. " " " N. 22. E. 15. " "
60.00 To a Beech 16. in. diam. stands in the line
80.00 Set a post for the Cor. of sec. 21. 22. 27. & 28. from which
a Hackberry 12. in. bears N. 86 E. 15. links dist. & a
Do. 8. " " S. 33. W. 11. " "
This mile is over level land Timber. Beech Walnut
Poplar. Hackberry. U.g. Spice &c.

North Between Sec. 21. & 22. T. N° 7. N. R. N° 5. W.
3.00 To a Beech 24. in. diam. stands in the line.

T. No. 7. N.R. No. 5 W. 2nd Mer. Inda.

40.00	Set a Post for the cor. of 1/4 Sec. from which a Sugar 14 in. diam. bears N.19. W.12. links dist. & a Beech 8. " " " S.39. E.12. " "
49.00	To a Brook 15. links wide; Course West.
80.00	Set a Post for the Cor. of Sec. 15.16.21.&22. from which a Beech 15. in. diam. bears S.3.E.25. links dist. & a Do. 15. " " " N. W.25. " "
	This mile is over level Land; Timber. Beech, Poplar, & Sugar. U.g. Spice &c.

East	On a Random line between Sec. 15.&22. T.7.N.R.5.W.
25.00	To a Brook 10. links wide; Course S.
40.00	Set the Tempy. Post for the Cor. of 1/4 Sec.
80.18	Intersect the N.& S. line 50. links N. of the Post Cor. of Sec. 14.15.22.&23. T.7. N.R.5.W.

West	On the true line Between Sec. 15.&22. T.7. N.R.5.W.
40.09	Set the 1/4 sec Post at the aver. dist. on the true line from which a Gum 14. in. diam. bears S.73.E.26. links dist. & a Gum 8. " " " S.76.W.21. " "
80.18	To the Post Cor. of Sec. 15.16.21.&22.
	This mile is over broken land; Timber; Poplar, Oak & Beech Undergrowth Spice. &c.

North	Between Sec. 15.&16. T.7.N.R.No5.W.
40.00	Set the Post for the cor. of 1/4 sec from which a Beech 8. in. diam. bears N.41.E.31. links dist. & a Sugar 10. " " " S.65.W.12. " "
69.00	To a Brook 15. links wide. Course E. Nov. 8. 1814.
78.00	" " Do. 10. " " " S.E.
80.00	Set a Post for the cor. of sec. 9.10.15.&16. from which a Sugar 12 in. diam. bears S.53.E.12. links dist. & a Do 10. " " " N.61.W.14. " "

T. No 7 N. R. No 5 W. 2nd Mer. Ind.

	This mile is over broken land; Timber. Ash. Poplar. Beech & Sugar. Undergrowth Spice &c.
East	On a Random line between Secs. 10. & 15. T. 7. N. R. N. 5. W.
8. 50	To a Brook 10 links wide Course South.
40. 00	Set the Tempy. 1/4 Sec. post.
75. 50	To a Brook 10. links. wide; Course S. W.
80. 18	Intersect the N. & S. line 35. links N. of the post cor. of Secs. 10. 11. 14. & 15.
West	On a true line Between Secs. 10. & 15. T. 7. N. R. 5. W.
40. 09	Set the post for the cor. of the 1/4 Sec. at the aver. dist. on the true line from which an Elm 10. ins. diam. bears S. 20. W. 30. links. dist. & a Lynn C. " " " S. 50. E. 18. " "
80. 18	To the post Cor. of secs. 9. 10. 15. & 16. Land on this mile level. Timber Sugar. Beech. Poplar &c. Undergrowth Spice &c.
North	Between Secs. 9. & 10. T. No 7. N. R. No 5. W.
34. 00	To a Beech 14. ins. diam. stands in the line.
40. 00	Set a post for the cor. of 1/4 Sec. from which a Sugar 14. ins. diam. bears S. 41. E. 9. links. dist. & a Beech 18. " " " N. 55. W. 22. " "
44. 25	To a Beech 24. ins. diam. stands in the line.
80. 00	Set a post for the cor. of Secs. 3. 4. 9. & 10. from which a Beech 15. ins. diam. bears N. 86. E. 40. links dist. a Sugar 6. " " " S. 41. W. 12. " " Timber. Beech. Sugar. Walnut. Ash. &c. U.g Spice. The land on this mile is level.
East	On a Random line Between Secs. 3. & 10. T. 7. N. R. 5. W.
40. 00	Set the tempy. 1/4 Sec post.

80. 00	Intersect the N. & S. line 30. link N. of the post cor.
	of Sec. 2. 3. 10. & 11.

West	On the true line between Sec. 3. & 10. T. 7. N. Ro. No 5 W.
40. 00	Set the temp. post for the cor. of 1/4 sec. at the aver. dist.
	on the true line from which a
	Sugar 14. in. diam. bears S. 24. E. 10. links dist. & a
	Dogwood 8. " " " N. 8. W. 14. " "
80. 00	To the post cor. of sec. 3. 4. 9. & 10.
	This mile is over level land; Timber, Sugar & Beech.
	Undergrowth Spice &c.

North	Between Sec. 3. & 4. T. No 7. N. Ro. No 5 W.
1. 00	To a Poplar 30. in. diam. stands in the line
40. 00	Set a post for the cor. of 1/4 sec. from which a
	Mulberry 10. in. diam. bears N. 25. E. 13. links. dist. & a
	Red Bud 10. " " " S. 58. W. 31. " "
58. 00	Set a post on the Left Bank of W. River cor. of sec. 3 & 4. from which a
	Hackberry 14. in. diam. bears S. 88. E. 4. links dist. & a
	Box Elder 8. " " " West 20. " "
	Land on this mile is low grounds; Timber. Walnut.
	Hackberry, &c. U.g. Spice &c.
79. 60	Intersect the N. Bound. T

North	Between Sec. 32. & 33. T. No 7. N. Ro. No 5 W.
7. 50	To a Hackberry 18. in. diam. stands in the line
40. 00	Set a post for the of 1/4 sec. from which a
	B. Oak 24. in. diam. bears S. 22 E. 68. links. dist. & a
	B. Oak 24. " " " S. 85. W. 85. " "
80. 00	Set a post for the cor. of sec. 28. 29. 32. & 33. from which
	an Oak 18. in. diam. bears N. 22. W. 6. links. dist. & a
	B. Oak 10. " " " S. 80. W. 1.18. " "
	The 1st. 1/2 mile is over low Bottom land. subject to overflow

T. No 7. N.R. No 5 W. 2nd Mer. Ind.

Timber Locust. Hackberry. & Walnut: Last 1/2 mile is
over broken land: Soil good. Timber. Oak. &c. U.g. Oak
Hickory. & Grapevines

East On a Random line Between Sec. 28 & 33. T. 7. N. R. 5. W.
40.00 Set the tempy post for the cor. of 1/4 Sec.
80.00 Intersect the N. & S. line at the post cor. of Sec. 27. 28. 33 & 34.
This line is over level low ground. Soil rich. Timber. Walnut.
Ash. Hackberry. Poplar. &c. U.g. Spice. &c.

West On the true line between Sec. 28 & 33. T. 7. N. R. 5. W.
40.00 Set the tempy post for the cor. of 1/4 Sec. at the aver. dist. on the
true line from which a Hackberry 8. in. bears N. 57. W. 14. lks. dist.
and a Hickory 14 in. diam. bears S. 74. E. 12 " "
60.00 To a W. Oak 24 in. diam. stands in the line.
80.00 Intersect the N. & S. line at the post cor. of Sec. 28. 29. 32 & 33.
The Land on this mile is level, Timber. Hackberry. Walnut.
Poplar. &c. Spice Undergrowth Soil rich.

North Between Sec. 28 & 29. T. 7. N. R. No. 5. W.
20.00 To a B. Oak 24 in. diam. stands in the line
40.00 Set a post for the Cor. of 1/4 Sec. from which a
Hickory 24. in. diam. bears N. 41. E. 24. links dist. & a
80.00 Set a post for the cor. of Sec. 20. & 21. 28. 29. from which a
B. Oak 24. in. diam. bears N. 29. E. 9. links dist. & a
Hicky. 9. " " " N. 83. W. 63. " "
Land 1st 1/2 mile over broken land, Soil good; Timbr. Oak, & Hicky
" 2nd 1/2 " " " " Timbr. Oak &c. Undergth
Oak & Grapevines &c.

East On a Random line between Sec. 21 & 28 T. 7. N. R. 5 W.
40.00 Set a tempy 1/4 sec. post
41.69 Set a post on the Right Bank of White River, 607 lks

T. No 7. N R. No 5 W. 2nd Mer. Ind.

wide; Course N. 69 links North of the post on the opposite Bank. from which a
Hick'y 9 in. diar. bears S 77 W. 22 links dist. & a
Ash 12 " " " N 77 E 6 " "

West On the true line between Sec. 21 & 28. T. 7. N R. 5 W
1.69 Set the temp. ¼ Sec. post at the ave. dist. on the true line. from which a Hick'y 15 in. diar. bears S 7 E. 18 links dist.
and a Sugar 24 " " " N 35 E. 40 " "
41.69 To the post cor. of Sec. 20. 21. 28 & 29.
This ½ mile is low grounds; Timber Sugar, Walnut, Beech. Elm, Locust &c.
West On the true line between Sec. 21 & 28 T. 7 N R. 5 W
11.00 To a Hick'y 14 in. diar. stands in the line.
32.20 Set a post on Left Bank of White River for the cor. of fract. Sec. 21 & 28. from which a
Maple 6 in. diar. bears N 15 W. 12 links dist; & a
Do. 8 " " " S 5 W. 5 " "
Lands low; Timber Hackberry, Walnut, & Sycamore undergth. Spice &c.

North Between Sec. 20 & 21. T. 7. N R. 5 W
10.15 To a B. Oak 24 in. diar. stands in the line.
31.70 " Do. 24 " " " " " "
40.00 Set a ¼ Sec. post from which a
B. Oak 24 in. diar. bears S 44 W. 26 links dist; & a
Hick'y 10 " " " N 71 E. 38 " "
50.00 To a Walnut 30 in. diar. in the line.
52.55 To a Bayou 315 links wide from the N.W. thence East and continues its width to the River.
63.50 To a Cottonwood 36 in. diar. in the line.
74.50 To the Bayou Course N.E. (in the Bayou)
80.00 Set a post in Bayou) for the cor. of Sec. 16, 17. 20 & 21. from which

Maple 6 in. diar. bears N88W 216 links dist; & a
Do. 6 " " " N83W 200 " "
Land low ground subject to overflow; Timber
Walnut, Hickory & Cottonwood &c
Undergth Spice; Rich soil.

East On a Random line between Sec. 16 & 21. T 7 N R 5 W
40.00 Set a ~~temp~~ 1/4 sec post from which a
Cottonwood 15 in. diar. bears S11E 32 lks dist; & a
Do 15 " " " N78E 24 " "
63.50 Set a post on the Right Bank of White River 6.49 chs. the river
Course N.W. and set a post for the cor. of Frac. Sec. 16 & 21
from which a Cottonwood 15 in diar. bears N10E 7 lks dist
and a Locust 7 " " " S63W 8 " "
The above named post is opposite the line on the other
bank of the River.
The 1st 1/2 mile over rich low grounds; Timber Walnut
Hackberry, Locust, Sugar, & Buckeye &c. undergth.
Spice & Pawpaw.

West Between Sec. 16 & 21. T 7 N R 5 W
10.13 Set a post on the Left Bank of White River for the cor of
Frac. Sec. 16 & 21. from which a
Elm 10 in. diar. bears S2E 13 links dist; & a
Ash 10 " " " N56W 14 " "
This line lies over low grounds; Timber Sycamore &
Elm.

North Between Sec. 16 & 17 T 7 N R 5 W
40.00 Set a 1/4 sec post from which a
Hackberry 30 in. diar. bears N21W 34 links dist; & a
Do. 12 " " " S8W 45 " "
47.50 To a Locust 24 in. diar. in the line.

T. No 7 N.R. No 5 W. 2nd Mer. Ind.

63.50	To a Locust 48 in. dia. Stands in the line.
80.00	Set a post for the cor. of Sec. 8.9.16.&17 from which a
	Locust 30 in. dia. bears N30W. 8 links dist; & a
	Spanish Oak 15 " " " S25E. 21 " "
	Land low & rich; Timber Locust, Hackberry, &c
	Undergth Spice. &c
East	Between Sec. 9 & 16 T.7 N.R.5 W.
7.40	Set a post on the Right Bank of White River 20 links
	North of the post on the Opposite Bank of the River from which a
	Elm. 14 in. dia. bears N38W. 27 links dist; & a
	Hackberry 12 " " " S27E. 8 " "
West	Between Sec 9 & 16 T.7 N.R. 5 W.
1.00	To a Branch 6 links wide Course N.W.
9.50	" " Poplar 36 in. dia. in the line.
40.00	Set a ¼ Sec. post from which a
	Locust 18 in. dia. bears N6E. 31 links dist; & a
	Mulberry 8 " " " S20W. 41 " "
	This ½ mile broken land; rich soil; Timber Poplar, Sugar,
	and Beech, undergth Spice &c
67.13	Set a post on the Left Bank of White River for the cor. of
	Fracl. Sec. 9 & 16 from which a
	Willow 8 in. dia. bears S81E. 13 links dist; & a
	Cottonwood 8 " " " South 6 " "
75.00	To the Opposite Bank of W. River; The River 587 lks wide.
North	Between Sec. 8 & 9 T.7 N.R. 5 W.
35.50	To a B Oak. 24 in. dia. in the line.
40.00	Set a ¼ Sec. post from which a
	Hickory 10 in. dia. bears N22W. 28 links dist; & a
	Do. 10 " " " S40W. 10 " "
80.00	Set a post for the cor of Sec. 4.5.8 & 9 from which a

T. No 7. N.R. No 5 W. 2nd Mer. Indn

B. Oak. 12 in. diar bears N 72 E. 4 links dist; & a
Do. 8 " " " N 52 W 27 " "
This mile (except 17 last chs) over level land. Timber
Oak &c. undergth. Oak & Hicky; last 17 chs rich low
Grounds

East On a Random line between Secs 4 & 9 T. 7 N R. 5 W.
4000 Intersect the River in direction with the opposite line and
set a post for the cor. of ¼ sec from which a
Willow 12 in. diar bears S 18 E. 10 links dist; & a
Do. 10 " " " N 72 W 27 " "
Land broken; Timber Oak, undergth. Oak & Hicky

West On the true line between Secs 4 & 9. T. 7 N R. 5 W.
(40.00 To the post cor of Secs. 4. 5. 8 & 9.)
West Between Secs 4 & 9 T. 7 N R. 5 W. East side River.
34.50 Set a post on the Left Bank of White River for the cor of fract
Secs 4 & 9 from which a
Hackberry 12 in diar bears S 40 W. 13 links dist; & a
Ash. 18 " " " S 4 W. 25 " " "
Land low ground; Timber Elm, Sycamore
& Cottonwood. Ug Spice.

North Between Secs 4 & 5 T. 7 N R. 5 W.
9.35 To a W. Oak. 18 in. diar Stands in the line.
40.00 Set a ¼ sec post from which a
B. Oak. 6 in. diar bears S 55 W 21 links dist; & a
Hicky 6 " " " S 4 E. 52 " "
68.50 To a B. Oak. 24 in. diar Stands in the line.
79.00 Intersect the N Boundary 37 links East of the post cor of
Secs 32 & 33. T. 8 N R. 5 W and set a post for the cor of
Secs 4 & 5 from which a
Poplar. 10 in. diar bears S 25 W. 20 lks dist; & a

	W Oak 30 in. diar. bears N 18 E 13 links dist; Land broken; good for farming; Timber Oak, Hicky &c. Undergth Oak, Hicky &c.

North	Between Secs 31 & 32 T. 7. N.R. 5 W in prairie
30.00	Timbered Lands
40.00	Set a ¼ Sec Post from which an Oak 18 in diar. bears N 10 W. 125 links dist; &c
79.60	To a B. Oak 24 in. diar. in the line.
80.00	Set a post for the cor. of Secs. 29. 30. 31 & 32 from which a B. Oak 24 in diar. bears South 30 links dist; &c Do. 24 " " " N 25 W. 35 " " This mile over prairie and barrens; Timber Oak, Hicky; Undgth. Hicky &c.

East	On a Random line between Secs. 29 & 30 T.7. N.R.5 W.
40.00	Set a temp.y ¼ Sec post
79.90	Intersect the N.B. line 20 links North of the post cor. of Secs. 29 30. 31 & 32

West	On the true line between Secs. 29 & 30 T.7. N.R.5 W
39.95	Set the temp.y ¼ Sec post at the aver. dist. on the true line. in brushy barren
79.90	To the post cor. of Secs. 29. 30. 31 & 32 This mile is brushy barrens. Land level, timber Oak, &c

West	Between Secs 30 & 31 T.7. N.R.5 W.
24.00	To a prairie
40.00	Set the ¼ Sec Post in prairie
81.70	Intersect the West Boundy in prairie Land level; Timber Oak; Undergth Sassafras. Indifferent Soil. &c.

T. No 7 N.R. No 5 W. 2nd Mer. Ind.a

North Between Sec. 29 & 30. T. 7 N R. 5 W.
40.00 Set a ¼ Sec post from which a
Hick'y 14 in. diar. bears N 3 W. 40 links dist; & a
W. Oak. 12 " " " S. 61 E. 65 " "
75.25 To a B. Oak. 20 in. diar. in the line.
80.00 Set a post for the cor. of Sec. 19. 20. 29. & 30 from which a
B. Oak. 15 in. diar. bears S 43 W. 70 links dist; & a
W. Oak. 25 " " " S 73 E. 24 " "
Over level land; Timber Oak, & Hick'y; Und.th Hick'y

East On a Random line between Sec. 20 & 29 T. 7 N R. 5 W.
40.00 Set a temp.y ¼ Sec post
79.80 Intersect the N & S line 10 links ... of the post cor. of Sec. 20. 21. 28 & 29.

West On the true line between Sec. 20 & 29 T. 7 N R. 5 W.
39.90 Set the temp.y ¼ Sec post at the aver. dist on the true line from which a B. Oak. 18 in. diar. bears N 35 W. 9 lks dist;
and a Do. 20 " " " S 33 E. 56 " "
79.80 To the post cor. of Sec. 19. 20. 29. & 30
This mile is open barrens. Timber Oak, Und.th Oak &c.
Nov. 21. 1814. J. T.

West Between Sec. 19 & 30 T. 7 N R. 5 W.
40.00 Set a ¼ Sec post from which a
W. Oak. 18 in. diar. bears N 41 E 13 links dist; & a
Hick'y 6 " " " S 36 W. 35 " "
81.50 Intersect the West Bound.y 7.25 links North of the post cor. of Sec. 24 & 25: T. 7 N R. 6 W and set a post for the cor. of Sec. 19 & 30 from which a
Hick'y 14 in. diar. bears S 35 E 32 lks dist; & a
Do. 15 " " " S 88 E 45 " "
Land level; Timber Oak & Hick'y; Und.th Sassafras.

T. N° 7. N.R. N° 5 W. 2nd Mer. Ind.

North	Between Sec. 19 & 20. T.7. N.R.5 W.
30.75	To a Hick'y 8 in. diar in the line.
37.00	To a Creek 40 links wide, Course N.E.
40.00	Set a ¼ Sec Post from which a
	Elm — in diar bears N10 E. 9 links dist; & a
	Mulberry 8 " " " S20 W.30 " "
40.50	To a Creek 50 links wide, Course N.W.
42.50	" " Do. 40 " " " E.
80.00	Set a post for the cor. of Sec. 17, 18, 19 & 20 from which a
	Hick'y 12 in. diar bears S28 W.24 links dist; & a
	Do - 8 " " " N3 W.14 " "
	This mile is level land; Timber Oak, Hick'y &c.

East	On a Random line between Sec. 17 & 20 T.7. N.R.5 W.
40.00	Set a temp'y ¼ Sec post at 1'
44.25	To a Brook. 200 lks wide, Course S.E.
80.20	Intersect the N & S line 25 links North of the post cor. of Sec. 16. 17. 20 & 21

West	On the true line between Sec. 17 & 20 T.7. N.R.5 W
40.10	Set the temp'y ¼ Sec post at the corr. dist on the true line from which an Elm 18 in diar bears S43 W.14 lks dist; and a Hick'y 14 " " " S84 E.30 " "
80.20	To the post cor. of Sec. 17.18.19 & 20.
	Land level: Timber Oak, Elm, & Hick'y; poor soil.

West	Between Sec. 18 & 19. T.7. N.R.5 W.
40.00	Set a ¼ Sec Post from which a
	W. Oak. 18 in. diar bears N21 W.35 links dist; & a
	Do. 15 " " " N58 E.12 " "
43.00	To a W. Oak. 24 in. diar in the line.
73.27	To a Creek. 40 links wide, Course S.
81.25	Intersect the West Boundary from which a

	Oak. 12 in. diar. bears S 68 E. 25 links dist.; & a
	Hick'y 12 " " " N 43 W. 19 " " "
	This mile land level; Timber Oak, & Hick'y; Und. Spice
	& Sassafras; Tolerable Soil.
North	Between Sec. 17 & 18 T. 7 N R. 5 W.
7.00	To a Prairie
20.00	To a Creek. 30 links wide, Course N.W.
40.00	Set a ¼ Sec. post ~~from in~~ in a prairie
80.00	Set a post for the cor. of Sec. 7. 8. 17 & 18.
	Sandy prairie; Tolerable Soil.
East	On a Random line between Sec. 8 & 17 T. 7 N R. 5 W.
40.00	Set a temp'y ¼ Sec post in a prairie.
65.00	To timbered land.
79.95	Intersect the N & S line 25 links North of the post cor. of Sec. 8. 9. 16 & 17.
West	On the true line between Sec. 8 & 17. T. 7 N R. 5 W.
39.97	Set the temp'y ¼ Sec post at the aver. dist. on the true line in a prairie
79.95	To the post cor. of Sec 7. 8. 17 & 18.
	Sandy prairie; Good Soil.
West	Between Sec. 7 & 18. T. 7 N R. 5 W.
17.50	To timbered land.
40.00	Set ¼ Sec post in a prairie
80.85	Intersect the West Bound'y 30 links North of the post cor. of Sec. 12 & 13 T. 7 N R. 6 W. and set a post for the cor. of Sec. 7 & 18 from which are
	Elm. 20 in diar. bears S 55 E 8 links dist; & a
	B. Oak. 36 " " " South 6 " "
	This mile barren & prairie; Timber Oak, Und. Hick'y

T. N°. 7. N.R. N°. 5 W. 2nd Mer. Ind.

North Between Sec. 7 & 8. T. 7. N.R. 5 W.
17.50 To timbered land.
35.00 " Prairie
40.00 Set a ¼ Sec. post in prairie
80.00 Set a post for the cor. of Sec. 5. 6. 7. & 8. in a prairie

---

West On the true line between Sec. 5 & 8. T. 7. N.R. 5 W.
40.20 Set the temp.y ¼ Sec. post at corr. dist. on the true line ~~from~~
in a prairie
80.40 To the post cor. of Sec. 5. 6. 7 & 8.
This line is over level prairie and barrens; good soil

West Between Sec. 6 & 7. T. 7. N.R. 5 W. in prairie
40.00 Set a ¼ Sec. post in the prairie
50.50 To timbered land.
80.40 Intersect the West Boundary and set a post from
which a Hick.y 20 in. dia. bears S 10 E. 18 links dist; & a
Do. 24 " " " S 52 W. 22 " "
This mile is prairie and barrens; Timber Oak, & Hick.y
undergth Hick.y. Soil poor.

North Between Sec. 5 & 6. T. 7. N.R. 5 W.
40.00 Set a ¼ Sec. post in a prairie.
78.85 Intersect the N. Boundary 25 links West of the post
cor. of Sec. 31 & 32 T. 8. N.R. 5 W. and set a post for the
cor. of Sec. 5 & 6 from which a
Hick.y 10 in. dia. bears S 8 E. 85 links dist;
This mile is prairie & barrens; Nov. 23.d 1814.

Meanders of White River: Left Bank (probably)
Commencing in the South Boundary of Sec. 34. T. 7. N.R. 5 W.
thence up stream in Sec. 34. Left Bk.
N 35 E. 20.00
N 8 W. 11.50.

T. No. 7. N. R. No. 5 W. 2nd Mer. Ind.

N 34 W.	10.00	
N 67 W.	8.50	
N 81 W.	11.00	
S 70 W.	8.50	
S 61 W.	18.50	
N 86½ W.	6.50	In Sec. 34.
S. 62½ W.	5.50	
N 27¼ W.	7.50	
N 2 W.	7.50	
N 14 E.	5.00	
N 26¼ E	17.00	
N 19 E.	13.50	To the post on line between Sec. 27 & 34; Width Riv. 5.79

N 19 E.	23.00	
N 5½ E.	19.40	To a Brook 4 links wide. Course S.E.
N 5½ E.	30.00	
N 21 E.	10.00	
N 25½ E.	10.50	
N 11¾ W.	8.30	
N 40 W.	7.26	
N 83¾ W.	12.22	Sec. 27.
S 46 W.	18.60	
S 14½ W.	2.50	
S 2½ E.	18.50	
S 32 W.	4.25	To the post cor. of Secs. 27 & 28. T. 7. N R. 5 W Width Riv. 5.89

S 32. W.	5.00	
S 76½ W.	5.50	
N 73 W.	10.50	
N 30 W.	6.50	Sec. 28.
N 11 W.	14.50	
N 27½ W.	23.00	
N 1 W	7.00	To the post cor of Secs 21 & 28. Width of Riv. $\overset{c}{6}.\overset{L}{07}$ T. 7. R 5 W

T. No. 7. N R. No. 5 W. 2nd Mer. Ind.

N 29½ E.	8.50	
N 44½ E.	7.00	
N 51 E.	9.00	Sec. 21.
N 38 E.	4.00	
N 51½ E.	7.00	
N 19½ E.	8.00	
N 12 W.	13.00	To a Brook 6 links wide, Course N.E.
N 45 W.	20.00	
N 32 E.	14.17	
N 7½ E.	7.80	To the post on line between Sec 16 & 21. Width of Riv. $\overset{c}{6}.\overset{L}{48}$

N 11 W.	9.32	
N 25½ W	9.00	
N 50½ W	14.00	
N 37 W.	8.50	
N 50¾ W.	7.50	Sec. 16.
N 39 W.	10.00	
N 17½ W	4.00	
N 30¾ W	5.00	
N 24 W.	12.00	
N 43 W.	16.50	
N 26½ W	4.00	To the post on line between Sec. 9 & 16 Width Riv. $\overset{c}{6}$.20

N 26½ W.	2.50	
N 8° W	5.00	
N 10½ E.	12.80	
N 28½ E.	15.00	
S 77½ E.	5.00	
S 58½ E.	7.88	Sec. 9.
S 82¾ E.	8.20	
S 63½ E.	5.00	
N 37 E.	13.00	
N 16 W.	10.00	

T. No 7. N R. No 5 W. 2nd Mer. Ind a.

N 33 W.	5.00	
N 44 W.	7.00	
N 18 W	6.79	
N 8 E.	5.50	
N 41 E.	11.00	
N 28 E.	2.20	To the post cor. of Sec. 4 & 9. River 6.30 L wide. T 7 R 5 W

N 28 E.	4.80.	
N 20 E.	48.75	
N 63¼ E.	8.86	
East.	11.00	
N 75¾ E	9.00	
N 32½ E.	8.00	
N 21¼ E.	9.50	
N 3 W.	1.00	To a Brook 20 lks wide, Course E.
N 3 W.	6.50	To the post cor of Sec. 34 T. 8. N R. 5 W.

Surveyed by
John Mc Donald. D.S.

I certify, that the foregoing Transcript of the field notes of Township No 7. North of Range No 5 West of the 2nd Principal Meridian, Indiana has been compared with the Original notes in this Office and found to be correct.

Surveyor General's Office,
Cincinnati, May 12 1841 } E. S. Haines
Sur. Genl.